ASPHALT PATCHING / 01

KEEP EACH PATCH WITH ITS REFERENCE

Use provider-supplied references only. Do not measure, mark pavement or enter a work zone for this pack.

A helpful preparation resource from PickYourPro.ai. Fill in digitally or print. Keep your completed copy private.

Shared patch-list version / contractor plan or photo reference / discussion date

P1 / provider-described boundary / proposed treatment reference / question

P2 / provider-described boundary / proposed treatment reference / question

P3 / provider-described boundary / proposed treatment reference / question

Included preparation and restoration by patch / exclusions to clarify

Adjacent-area or boundary question / provider role / response still needed

Preparation only. Not diagnosis, measuring, design, materials, excavation, work-zone access, traffic, reopening or legal instructions. Notes are not work authorization. Keep private site records out.

ASPHALT PATCHING / 02

SEPARATE ALTERNATIVES AND CHANGES

Keep a different offer separate. Trace changed limits without diagnosing a cause or approving work.

Broader resurfacing alternative / proposal version / provider reference

Which P1, P2 or P3 labels are replaced, included or left out? / provider reply

Changed patch label / old boundary reference / proposed new reference

Provider explanation reference / preparation or restoration affected

Timing or written-term changes / clarification owner / response reference

Revised proposal / actual approval reference if any / still-open decision

Preparation only. Not diagnosis, measuring, design, materials, excavation, work-zone access, traffic, reopening or legal instructions. Notes are not work authorization. Keep private site records out.

ASPHALT PATCHING / 03

CHECK THE REPAIR-SCOPE COMPARISON

Tick what is organized for discussion. These checks do not approve design, work or reopening.

- [ ] Patch labels point to provider-supplied references
- [ ] Each proposal has a date or version
- [ ] Included preparation and restoration are distinguished
- [ ] Exclusions and unknowns remain explicit
- [ ] Broader resurfacing is a separate alternative
- [ ] Changed limits link old and new references
- [ ] Affected work and actual approval records are separate
- [ ] The same current patch list goes to each provider

Patch label / unresolved boundary or inclusion / provider response owner

Superseded proposal reference / replacement version / difference to clarify

Actual decision kept separately / current scope reference / open follow-up

Preparation only. Not diagnosis, measuring, design, materials, excavation, work-zone access, traffic, reopening or legal instructions. Notes are not work authorization. Keep private site records out.

ASPHALT PATCHING / 04

QUESTIONS FOR THE PAVING PROVIDER

Ask the professional to define and explain the scope. Do not choose technical specifications here.

Boundaries: how does each patch label link to the repair area in your proposal?

Inclusions: what preparation, adjacent work and restoration are covered?

Alternatives: which original patches does broader resurfacing replace or omit?

Changes: how will an expanded repair limit be shown against the prior version?

Decision: who explains affected work, timing and terms before authorization?

Record: how will the current patch list and superseded proposals be identified?

Preparation only. Not diagnosis, measuring, design, materials, excavation, work-zone access, traffic, reopening or legal instructions. Notes are not work authorization. Keep private site records out.

ASPHALT PATCHING / 05

COMPARE THE SAME PATCH LIST

Use Provider A and B. Ask about unlike scopes before comparing offer totals.

Provider A / B / proposal dates / shared patch-list version

P1, P2, P3 boundaries and included preparation/restoration - A / B

Separate resurfacing alternative / replaced patches / exclusions - A / B

Change records, decision process, timing, terms and open questions - A / B

READY TO HEAR FROM PROS?

Optionally, Create an account on PickYourPro.ai and start an Asphalt & Paving request for patching. Share a non-sensitive summary of the repair-limit questions so participating pros can compete with proposals. Compare provider-defined boundaries, included work, alternatives, changes, timing, written terms and fit. Keep private site records separate.

One request. Every pro's best offer.

Start a request

Participation varies. A provider-led site assessment and repair-boundary review may be needed before a final proposal.

Planning guide: https://www.pickyourpro.ai/services/asphalt-paving/asphalt-patching

NAPA: Hiring an Asphalt Contractor for Driveways (official reference)

Preparation only. Not diagnosis, measuring, design, materials, excavation, work-zone access, traffic, reopening or legal instructions. Notes are not work authorization. Keep private site records out.